
يوسبرو للتجارة ذ.م.م

USPRO TRADING LLC



product catalogue

Quality is our priority

ABOUT US

USPRO TRADING LLC IS ONE OF THE LEADING ELECTRICAL TRADING COMPANY IN UNITED ARAB EMIRATES, AS AN ELECTRICAL TRADING COMPANY, US PRO TRADING LLC PLACES GREAT EMPHASIS ON ITS RELATIONSHIP WITH CLIENTS, PRIVATE OR COMMERCIAL, AND PRIDES ITSELF ON THE ABILITY TO RESPOND TO YOUR ELECTRICAL REQUIREMENTS IN AN EFFICIENT AND COST EFFECTIVE WAY.



USPRO®

QUALITY IS OUR PRIORITY

iNFUSE®

THE PERFECT CONNECTION



Quality is our priority

OUR VISION

- TO BE THE LEADING PROVIDER OF ELECTRICAL SOLUTIONS IN THE MARKET.
- TO OFFER A COMPREHENSIVE RANGE OF PRODUCTS AND SERVICES THAT MEET THE NEEDS OF CUSTOMERS.
- TO PROVIDE HIGH-QUALITY PRODUCTS AND SERVICES AT COMPETITIVE PRICES.
- TO DELIVER EXCELLENT CUSTOMER SERVICE.
- TO BE A RESPONSIBLE CORPORATE CITIZEN.

OUR MISSION

- WE WORK TOWARDS MAINTAINING CUSTOMERS' SATISFACTION BY PROVIDING QUALITY AND RELIABLE PRODUCTS AND SERVICES IN CORE BUSINESS.
- OUR MISSION IS TO PROVIDE A COMPREHENSIVE AND INNOVATIVE RANGE OF ELECTRICAL SOLUTIONS THROUGH PRODUCTS AND SERVICES THAT SATISFY OUR CUSTOMERS NEEDS WITH A FRIENDLY AND ETHICAL APPROACH.
- WE ARE COMMITTED TO PROVIDE THE LATEST TECHNOLOGY OF PRODUCTS AND SERVICES AT THE BEST VALUE FOR MONEY. WE PROVIDE OUR CUSTOMERS WITH EXPERIENCED AND PROFESSIONAL SUPPORT AND AS A RESULT AIM TO BECOME ONE OF THE MARKET LEADERS IN THE INDUSTRY.



SWITCHGEAR ACCESSORIES

PANEL INDIACTOR LAMP

- AD22-22DS 12V AC/DC R,Y,B,G
- AD22-22DS 24V AC/DC R,Y,B,G
- AD22-22DS 220V AC/DC R,Y,B,G,WHITE
- AD22-16DS 12V AC/DC R,Y,B,G
- AD22-16DS 24V AC/DC R,Y,B,G
- AD22-16DS 220V AC/DC R,Y,B,G



PANEL INDIACTOR LAMP-INFUSE

- AD22-22DS 220V AC/DC



PANEL INDICATOR LAMP 12-450V

- ED22-22DS 12-450V AC



PUSH BUTTON WITH NEON EB2M

- MOMENTARY
- LATCHING



PUSH BUTTON SWITCHES

- LAY5-BA31 GREEN
- LAY5-BA42 RED
- LAY5-BA61 BLUE
- LAY5-BA21 BLACK
- LAY5-BA3351 BLACK WITH ARROW



PANEL BUZZER WITH INDICATOR

- AD22-22MSD 24V AC/DC
- AD22-22MSD 220V AC/DC



PANEL BUZZER

- HRB - N80
- PS30

12V 24V 110V 220V



ROCKER SWITCHES

- KCD4-201-01 WITH NEON (4 PIN) RED,GREEN
- KCD4-202-01 WITH NEON (6 PIN) RED,GREEN
- KCD4-0111-21 WITH NEON (4 PIN) RED,GREEN
- KCD4-201-01 WITHOUT NEON (4 PIN) BLACK
- KCD4-203-01 WITHOUT NEON (6 PIN) BLACK



30 A

ROCKER SWITCHES

- KCD3-103-01 WITHOUT NEON (3 PIN) BLACK
- KCD3-101-01 WITH NEON (3 PIN) RED,GREEN
- KCD1-101-05 WITH NEON (3 PIN) RED,GREEN
- KCD1-102-05 WITHOUT NEON (3 PIN) BLACK



ROCKER SWITCHES

- KCD1-101-05 WITH NEON (3 PIN) RED,GREEN
- KCD1-102-05 WITHOUT NEON (3 PIN) BLACK
- KCD1-101N-9 (3 PIN) 220V RED, GREEN
- KCD1-101N-9 WITHOUT NEON (3 PIN) 220V BLACK



ROCKER SWITCHES

- KCD4-0111-21 WITH NEON (4 PIN)
- KCD4-203-5K (6 PIN)

R G



METAL PUSH BUTTON SWITCH

- 16 MM
- 19 MM

R Y B G

220V 24V 12V



METAL PUSH BUTTON SWITCH WITH POWER SYMBOL

- US-19-FJ-1 LATCHING WITH POWER
- US-19-FJ-1MOMENTARY WITH POWER





220V 24V 12V

STAINLESS STEEL PUSH BUTTON

- 16MM 2 PIN PUSH BUTTON SS



DOOR RELEASE BUTTON

- US-810C
- US-811B
- US-818B-WATER PROOF
- TOUCH TO EXIT









PUSH BUTTON WITH INDICATOR

- APBB-22 N RED & GREEN WITH INDICATOR
- EB2M-A-11PDRG RED & GREEN WITH NEON





MAGNETIC SWITCH

- YCZ2 MAGNETIC SWITCH 250V 50/60HZ IP55
- YH03-A MAGNETIC SWITCH 400V 50/60HZ IP55



WATERPROOF PUSHBUTTON SWITH KA0-10KH

- WATERPROOF PUSHBUTTON SWITH KA0-10KH



POWER SWITCH

- BS 211B
- BS 216B
- BS 230B




SHUTTER BUTTON SWITCH

- SHUTTER BUTTON SWITCH FLUSH MOUNTED
- JL-1 SHUTTER BUTTON SWITCH SURFACE MOUNTED



PUSH BUTTON SWITCH WITH BOX

- LAY5-B211H29 -2 PUSH BUTTON
- LAY5-B334 -3 PUSH BUTTON



EMERGENCY PUSH BUTTON WITH BOX

- LAY5-J174H29
- LAY5-J188H29



EMERGENCY PUSH BUTTON

- LAY5-BS542 40MM DIA
- LAY5-BS142 40MM DIA WITH KEY



PUSH BUTTON GUARD

- LAY5-EB81E
- LAY5-EB54PS
- LAY5-EB69E
- LAY5-ER60
- LAY5-ER40



CONTROL BOX

- LAY5-BE01 YELLOW
- LAY5-BE02 WHITE
- LAY5-BE03 WHITE



SELECTOR SWITCH

- LAY5-BD21 ON-OFF
- LAY5-BD33 ON-OFF-ON
- LAY5-BD41 ON-OFF SPRING RETURN
- LAY5-BD53 ON-OFF-ON SPRING RETURN



CONTACT ELEMENT

- LAY5- BE101 NO GREEN
- LAY5- BE102 NC RED



CONTACT ELEMENT FOR EB2M

- NO GREEN
- NC RED



CONTROL SWITCH


- LAY5-BMR222 - 2 POSITION SPRING RETURN
- LAY5-BMR224 - 4 POSITION SPRING RETURN
- LAY5-BMR312 - 2 POSITION SPRING RETURN
- LAY5-BMR314 - 4 POSITION SPRING RETURN
- LAY5-BMR212 - 2 POSITION
- LAY5-BMR214 - 4 POSITION
- LAY5-BMR312 - 2 POSITION
- LAY5-BMR314 - 4 POSITION



AXIAL FAN


- 60X60X25
- 80X80X25
- 92X92X25
- 120X120X25
- 120X120X38
- 150X150X51
- 172X150X51
- 200X200X60

380V 220V 110V 24V 12V



GRILL FOR AXIAL FAN

- 80X80
- 92X92
- 120X120
- 150X150
- 172X150
- 200X200



AXIAL FAN FILTER

- 80X80
- 92X92
- 120X120
- 150X150
- 200X200
- 92X92
- 120X120
- 150X150



WEATHERPROOF LIFTING BUTTON CONTROL SWITCH

- XCD-61P
- XCD-62P
- XCD-63P
- XCD-64P
- XCD-65P
- COB61



WIRELESS LIFTING BUTTON CONTROL SWITCH


F21-4S-Y


A211


A100


F8S

WARNING LIGHTS

- LTE -1101 RED 24V,220V
- LTE -1101 YELLOW 24V,220V
- LTE -6101 RED WITH UNIVERSAL VOLTAGE-LED(12V,24V,110,220V
- LTE -6101 YELLOW WITH UNIVERSAL VOLTAGE-LED (12V,24V,110,220V)



WARNING LIGHT (MAGNETIC WITH BUZZER)

- 6101J - YELLOW WITH UNIVERSAL VOLTAGE
- 6101J- RED WITH UNIVERSAL VOLTAGE



SOLAR WARNING LIGHT

- WARNING LIGHT ZC1170
- WARNING LIGHT ZC1130



LED WARNING LIGHT

- LED WARNING LIGHT



FIRE BELL

- 4" - 100MM
- 6" - 150MM
- 8" - 200MM

220V 24V 12V



MINI SIREN

- MS -190
- MS -290
- MS -390

220V 110V 24V 12V



SMOKE DETECTOR



ROTARY SWITCH - CA10

- ON-OFF -2 POLE
- ON-OFF -3 POLE
- ON-OFF-ON 3 POLE
- ON-OFF-ON 4 POLE


16A 20A 25A 32A 40A 63A



ROTARY SWITCH - D11

- 3 POLE
- 4 POLE

20A 25A 32A 40A 63A 80A 100A



AMMETER & VOLT METER SWITCH

- AMMETER SWITCH LW-28 20A SMALL
- AMMETER SWITCH LW-28 20A BIG
- VOLT METER SWITCH LW-28 20A SMALL
- VOLT METER SWITCH LW-28 20A BIG



ISOLATOR SWITCH

- 16 A
- 20 A
- 25 A
- 32 A
- 40 A
- 63 A
- 80 A
- 100 A
- 125 A

3P 4P



CAM STARTER (METAL BODY)


- 15 A
- 30 A
- 63 A



FOOT CONTROL PEDAL SWITCH

- TFS-101 (PVC BODY WITH 1MTR CABLE)
- LT-4 (METAL BODY)
- SFM-20 (DOUBLE TYPE)





TIMER SWITCH

- DIGITAL TIMER - AHC 15A
- WEEKLY DIGITAL TIMER




TIMER SWITCH

- SUL-180 B
- SUL -180 A



TIMER SWITCH

- SUL -181 H



TIMER SWITCH

- US -35 B
- US 388-R



UNDERVOLTAGE RELAY

- US-UVR- 1PH
- US-UVR- 3PH



DIGITAL THERMO-HYGROMETER

- HTC-2



WEATHERPROOF ISOLATION SWITCH

- LY-SS WATERPOOF ISOLATION SWITCH 13A 250V

IP-66




FLOATLESS LEVEL SWITCH

- FLOATLESS LEVEL SWITCH CF61F-GP 220V - AC



DIGITAL TIMER RELAY

- DH48S-2Z 220V(0.01S -99H)



DIGITAL TIMER RELAY

- DH48S-S 220V(0.1S-99H)




TIMER RELAY

- H3BA (0.5S TO 100H)

220V 24V 12V





TIMER RELAY

- H3Y-4 - 30S
- H3Y-4 - 60S

220V 24V 12V





TIMER RELAY

- H3Y-2 60S
- H3Y-2 30S

220V 24V 12V





TIMER RELAY

- ST3PA - A (0.5S / 5S / 30S / 3 M)
- ST3PA - B (1S / 10S / 60S / 6M)
- ST3PA - E (60S / 10M / 60M / 6H)
- ST3PA - F (2M / 20M / 2H / 12H)

380V 220V 24V





RELAY

- RELAY 60.12 8 PIN

220V 110V 48V 24V 12V





RELAY

- RELAY 60.13 11PIN

220V 110V 48V 24V 12V





RELAY

- RELAY 55.02 8 PIN

220V 110V 48V 24V 12V



RELAY

- RELAY 55.04 14 PIN

220V 110V 48V 24V 12V



RELAY

- MY3 11PIN


220V 110V 48V 24V 12V



RELAY

- LY2 8 PIN

220V 24V



RELAY BASE

- PF083A 8 PIN (60.12)
- PF113A 11 PIN (60.13)
- PYF08A 8 PIN (55.02)
- PYF14A 14 PIN (55.04)
- PYF11A 11 PIN (MY3)
- PTF08A 8 PIN (LY2)



AUTO RELAY

- 1915 AUTO RELAY 40A 12V 4P N+C METAL HOOK
- 2915 AUTO RELAY40A 24V 4P N+C METAL HOOK



AUTO RELAY BASE

- BASE 4P
- BASE 5P



RECTIFIER

- 2510 - 25A
- 3510 - 35A
- 5010 - 50A



SOLID STATE REALY(SSR)-DA

- 25A
- 40A
- 50A
- 80A
- 100A
- 120A



SOLID STATE REALY(SSR)-AA

- 25A
- 40A
- 50A



POTENTIOMETER

- MULTI TURN 1K
- MULTI TURN 2K
- MULTI TURN 5K
- MULTI TURN 10K
- MULTI TURN 20K
- SINGLE TURN 1K
- SINGLE TURN 2K
- SINGLE TURN 5K
- SINGLE TURN 10K
- SINGLE TURN 20K



TOGGLE SWITCH

- 1021 - ON-OFF - 2 POLE
- 1122 - ON-OFF-ON 3 POLE
- 1221 - ON-OFF 4 POLE
- 1322 - ON-OFF-ON 6 POLE
- 223-1 ON-OFF
  4 POLE SPRING RETURN
- 223 ON-OFF-ON
  6 POLE SPRING RETURN



LIMIT SWITCHES



MICRO SWITCH - Z SERIES



MICRO SWITCH - KW3 SERIES



WARDROBE SWITCH

- 101 ON-OFF
- 202 ON-OFF



IRON PLUG CONNECTOR

- IRON PLUG CONNECTOR 10-16A



FUSED PLUG TOP

- 13 A PLUG TOP WHITE
- 13 A PLUG TOP BLACK
- 13 A PLUG TOP TRANSPARENT
- 15 A PLUG TOP WHITE



ELECTRICAL PLUG LOCKED OUT

- EPL01 SOCKET BOX 13MM
- EPL01M SOCKET BOX 18MM
- EPL02 SOCKET BOX 26MM



WEATHERPROOF SWITCHES

- 1G 1WAY
- 2G 1WAY
- 3G 1WAY
- BELLPUSH
- 13A SOCKET WITH SWITCH
- 13A DOUBLE SOCKET WITH SWITCH
- 15A SOCKET WITH SWITCH



WEATHERPROOF EMPTY BOX

- 1 GANG
- 2 GANG





FLOOR SOCKET

- 13 A SINGLE WITH DATA -SILVER
- 13 A DOUBLE WITH DATA -SILVER




FLOOR SOCKET – ACCESSORIES

- BLANK PLATE
- 3PIN UNIVERSAL SOCKET
- 13 A UK SOCKET
- CAT6 SOCKET
- DOUBLE USB SOCKET
- 14W C+USB SOCKET
- 1 GANG SWITCH
- HDMI
- TV SOCKET



FLOOR BOX & ACCESSORIES

- FLOOR BOX WITH 13A DOUBLE SWITCH SOCKET
- 13 A DOUBLE SOCKET FOR FLOOR BOX
- DATA CAT6 SOCKET FLOOR BOX
- FLOOR BOX SOCKET PLATE
- FLOOR BOX DATA PLATE
- FLOOR BOX BLANK PLATE
- RJ45 FLOOR SHUTTER 45 DEGREE



SUBMERSIBLE WATER PUMP


- US-500 7W
- US-900 20W
- US-1500 25W
- US-2000 35W
- US-2500 45W
- US-3000 55W
- US-4500 65W
- US-5000 80W
- US-6000 100W





NYLON TERMINAL CONNECTORS – PE

- 4MM 6A
- 6MM 10A
- 10MM 15A
- 16MM 30A
- 25MM 60A
- 35MM 100A



NYLON TERMINAL CONNECTORS PP (WHITE)

- 10MM 15A
- 16MM 30A



CERAMIC WIRE CONNNECTOR

- 6 MM 6A 2 POLE
- 10 MM 10A 2 POLE
- 12 MM 15A 2 POLE
- 16 MM 30A 2 POLE
- 6 MM 6A 3 POLE
- 10 MM 10A 3 POLE
- 12 MM 15A 3 POLE
- 16 MM 30A 3 POLE
- 25 MM 60A 3 POLE
- 16 MM 30A 4 POLE




EASY CONNECTORS

- PCT212
- PCT213
- PCT214
- PCT215




EASY CONNECTORS

- PCT211
- PCT222
- PCT223
- PCT224
- PCT225




EASY CONNECTORS

- LT-223-2
- LT-223-3
- LT-223-4
- LT-223-5
- LT-223-8
- LT-223-10
- LT-223-12




EASY CONNECTORS

- LT-2
- LT-3



EASY CONNECTORS

- CH-2
- CH-3



EASY CONNECTORS

- LT-412
- LT-413
- LT-415




EASY CONNECTORS

- LT-422
- LT-623
- LT-633
- LT-933
- LT-2-8



EASY CONNECTORS

- DF-2604D-2 (ORANGE TYPE)
- DF-2604D-3 (ORANGE TYPE)
- DF-2604D-2 (COLOURFUL TYPE)
- DF-2604D-3 (COLOURFUL TYPE)



TERMINAL BLOCK

- UK 2.5B 2.5 MM
- UK 5N 4.0 MM
- UK 6N 6.0 MM
- UK 10N 10 MM
- UK 16N 16 MM
- UK 25N 25 MM
- UK 35N 35 MM
- UK 50N 50 MM
- UK 70N 70 MM
- UK 95N 95 MM
- UK 150N 150 MM




TERMINAL BLOCK DOUBLE SIDE CLOSED

- DK 2.5 2.5 MM
- DK 4 4.0 MM
- DK 6 6.0 MM
- DK 10 10 MM
- DK 16 16 MM
- DK 25 25 MM
- DK 35 35 MM




TERMINAL BLOCK YELLOW GREEN

- USLKG 2.5 2.5 MM
- USLKG 5 4.0 MM
- USLKG 6 6.0 MM
- USLKG 10 10 MM



TERMINAL BLOCK YELLOW GREEN DOUBLE SIDE CLOSED

- DK 2.5NE/D 2.5 MM
- DK 4NE/D 4.0 MM
- DK 6NE/D 6.0 MM
- DK 10NE/D 10 MM
- DK 16NE/D 16 MM



TERMINAL BLOCK FUSE TYPE

- 2.5 MM - 4 MM



TERMINAL BLOCK DOUBLE DECK

- US-KK 2.5 MM
- US-KK 4.0 MM



END STOPPER

- END STOPPER E/UK
- END STOPPER EW35



END PLATE

- EP 2.5 2.5 MM
- EP 4/6 4.0 MM,6.0 MM
- D-UK 2.5
- D-UK 4/10
- D-UK 16



TERMINAL STRIP MARKER

- KLMK-A



TERMINAL BLOCK JUMPER

- FB1 -10-6 (2.5 MM)
- FB1 -10-8 (4 & 6 MM)



TERMINAL BLOCK MARKER

- ZB5
- ZB6
- ZB8
- ZB10



SINGLE BOLT CABLE CLEAT-LDPE

- SINGLE 01 (10.5-14.5)
- SINGLE 02 (12.2-16.7)
- SINGLE 03 (14.6-19.8)
- SINGLE 04 (17.7-24.0)
- SINGLE 05 (21.7-28.5)
- SINGLE 06 (26.2-24.2)
- SINGLE 07 (31.9-41.6)
- SINGLE 08 (39.3-51.1)



DOUBLE BOLT CABLE CLEAT NYLON

- DOUBLE 01 (50 - 58)
- DOUBLE 02 (56 - 64)
- DOUBLE 03 (62 - 70)
- DOUBLE 04 (68 - 76)
- DOUBLE 05 (74 - 82)
- DOUBLE 06 (80 - 88)
- DOUBLE 07 (86 - 94)



WATERPROOF CONNECTORS

- CN 11-4
- CN 12-3
- CN 13-5
- T1 -3
- T2 -5



SOLAR CONNECTOR

- PV-MC SOLAR CONNECTOR 2.5MM2 30A
- T3 SOLAR CONNECTOR 1 TO 2P
- T4 SOLAR CONNECTOR 1 TO 3P



CIRCULAR BOX COVER

- 65 MM BLACK (20 MM)
- 65 MM WHITE (20 MM)
- 85 MM BLACK (25 MM)
- 85 MM WHITE (25 MM)



PVC BOX COVER

- 3X3 WHITE
- 6X3 WHITE



FIRE CABLE CLIP

- AC 08 RED
- AC 08 WHITE
- AC 09 RED
- AC 09 WHITE



WIRE CLIP

- 4 MM
- 6 MM
- 7 MM
- 8 MM
- 9 MM
- 10 MM
- 12 MM
- 14 MM
- 16 MM
- 18 MM
- 20 MM
- 22 MM
- 25 MM



NYLON WALL PLUG

- 6 MM X 30
- 6 MM X 30 WITHOUT CAP
- 7 MM X 35
- 8 MM X 40
- 10 MM X 50
- 12 MM X 60



BUTTERFLY PLUG



CABLE MARKER

- BM-0 0.5MM - 1.6 MM (0-9, A-Z)
- BM-1 2.6MM - 4.2 MM (0-9, A-Z)
- BM-2 3.6MM - 5.2 MM (0-9, A-Z)
- BM-3 5.0MM - 7.2 MM (0-9, A-Z)
- BM-5 7.2MM - 10 MM (0-9, A-Z)
- BM-8 16MM (0-9, A-Z)
- GM-1 (0-9, A-Z)



MARKER STRIP

- MS - 65
- MS - 100
- MS - 135



CABLE TIE MOUNT

- 20X20
- 25X25
- 28X28



SCREW TYPE TIE MOUNT

- HC-2




SPIRAL

- 4MM
- 6MM
- 8MM
- 10MM
- 12MM
- 16MM
- 20MM
- 25MM
- 30MM



COLOR CABLE TIE

- 150X2.5
- 200X3.6
- 250X3.6
- 300X3.6



CABLE TIE

- 100X2.5
- 150X2.5
- 150X3.6
- 200X2.5
- 200X3.6
- 200X4.8
- 250X3.6
- 250X4.8
- 300X3.6
- 300X4.8
- 300X7.6
- 370X3.6
- 370X4.8
- 380X7.6
- 400X4.8
- 450X4.8
- 450X7.6
- 550X7.6
- 600X9.0
- 700X9.0
- 800X9.0
- 900X9.0
- 1000X9.0

INFUSE® THE PERFECT CONNECTION



CABLE TIE

- 100X2.5
- 150X3.6
- 200X2.5
- 200X4.8
- 250X3.6
- 250X4.8
- 300X3.6
- 300X4.8
- 370X4.8
- 430X4.8
- 450X7.6
- 540X7.6

USPRO® QUALITY IS OUR PRIORITY

MADE IN TAIWAN



SS CABLE TIE COATED & UNCOATED

- 100X4.6
- 150X4.6
- 200X4.6
- 260X4.6
- 300X4.6
- 360X4.6
- 400X4.6
- 450X4.6
- 500X4.6
- 600X4.6
- 700X4.6
- 800X4.6

SS316




CLOTH TIE (MAGIC TIE)

- 20 MM -25 METER WHITE
- 20 MM -25 METER BLACK



SECURITY SEAL

- 250 MM RED,YELLOW
- 300 MM RED,YELLOW
- 400 MM YELLOW



CONTAINER SEAL

- CONTAINER SEAL



PULLING SPRING HD(5.0 MM)

- 20 MTR
- 25 MTR
- 30 MTR
- 50 MTR



PULLING SPRING (3.2 MM)

- 5 MTR
- 10 MTR
- 15 MTR
- 20 MTR
- 25 MTR
- 30 MTR



NYLON PULLING SPRING

- 5 MTR
- 10 MTR
- 15 MTR
- 20 MTR
- 25 MTR
- 30 MTR



RED/BLACK TWIST PULLER

- 10 MTR
- 20 MTR
- 30 MTR
- 40 MTR
- 60 MTR
- 100 MTR



FISHING TAPE

- 15 MTR
- 30 MTR
- 60 MTR
- 100 MTR



BENDING SPRING STEEL GALVANIZED

- 20 MM
- 25 MM
- 32 MM



FIBER GLASS CABLE PULLER

- 100MTR X 6MM
- 150MTR X 8MM
- 150 MTR X 11MM



DIE SET

- 20-25 MM
- 25-32 MM
- 20-25-32 MM



NYLON PG GLAND WITH WASHER

- PG-7
- PG-9
- PG-11
- PG-13.5
- PG-16
- PG-19
- PG-21
- PG-25
- PG-29
- PG-36
- PG-42
- PG-48
- PG-63



NYLON M GLAND WITH WASHER

- M-12
- M-16
- M-20
- M-25
- M-32
- M-40
- M-50



METAL PG GLAND WITH WASHER

- PG-11
- PG-13.5
- PG-16
- PG-19
- PG-21
- PG-25



METAL M GLAND WITH WASHER

- M-16
- M-20
- M-25
- M-32
- M-40
- M-50



NYLON M GLAND RED WITH WASHER

- M-20
- M-25



PVC FLEXIBLE ADAPTOR

- 20 MM BLACK
- 25 MM BLACK



PVC FLEXIBLE ADAPTOR

- BG-25 MM
- BG-20 MM



CORRUGATED FLEXIBLE PIPE ADAPTOR

- AD10 (M12X1.5)
- AD13 (M16X1.5)
- AD15.8 (M18X1.5)
- AD18.5 (M20X1.5)
- AD21.2 (M20X1.5)
- AD25 (M25X1.5)
- AD34.6 (M32X1.5)



INSULATED TERMINALS



INSULATED FORK TERMINAL

- US-SVS 1.25-3
- US-SVS 1.25-4
- US-SVS 1.25-5
- US-SVS 1.25-6
- US-SVS 1.25-8
- US-SVS2-3
- US-SVS2-4
- US-SVS2-5
- US-SVS2-6
- US-SVS2-8
- US-SVS 5.5-3
- US-SVS 5.5-4
- US-SVS 5.5-5
- US-SVS 5.5-6
- US-SVS 5.5-8



INSULATED RING TERMINAL

- US-RVS 1.25-3
- US-RVS 1.25-4
- US-RVS 1.25-5
- US-RVS 1.25-6
- US-RVS 1.25-8
- US-RVS 1.25-10
- US-RVS 2-3
- US-RVS 2-4
- US-RVS 2-5
- US-RVS 2-6
- US-RVS 2-8
- US-RVS 2-10
- US-RVS 5.5-3
- US-RVS 5.5-4
- US-RVS 5.5-5
- US-RVS 5.5-6
- US-RVS 5.5-8
- US-RVS 5.5-10



INSULATED PIN TERMINAL

- US-PTV 1.25-10
- US-PTV 2-10
- US-PTV 2-13
- US-PTV 5.5-13
- US-PTV 10-12



INSULATED FLAT TERMINAL

- US-DBV 1.25-18
- US-DBV 2-18
- US-DBV 5.5-18



FULLY INSULATED FEMALE CONNECTOR

- US-FDFD 1.25-250
- US-FDFD 2-250
- US-FDFD 5.5-250



INSULATED FEMALE CONNECTOR

- US-FDD 1.25-187
- US-FDD 1.25-250
- US-FDD 2-187
- US-FDD 2-250
- US-FDD 5.5-375
- US-FDD 5.5-250
- US-FDD 2-250
- US-FDD 5.5-375
- US-FDD 5.5-250



INSULATED MALE CONNECTOR

- US-MDD 1.25-187
- US-MDD 1.25-250
- US-MDD 2-187
- US-MDD 2-250
- US-MDD 5.5-250



INSULATED BUTT CONNECTOR

- US-BV 1.25
- US-BV2
- US-BV5.5
- US-BV8



FULLY INSULATED FLAG CONNECTOR

- US-FLDNY 1.25-250
- US-FLDNY 2-250
- US-FLDNY5.5-250



INSULATED BULLET MALE CONNECTOR

- US-MPD 1.25-156
- US-MPD 2-156
- US-MPD 5.5-195



INSULATED BULLET FEMALE CONNECTOR

- US-FRD 1.25-156
- US-FRD 2-156
- US-FRD 5.5-195



CLOSE END WIRE CONNECTORS

- US-DL-03
- US-DL-04
- US-DL-05



SCREW ON WIRE CONNECTOR

- US-SP1
- US-SP2
- US-SP3
- US-SP4



TWIN CORD END TERMINAL

- US-TE0512
- US-TE7510
- US-TE1010
- US-TE1512
- US-TE2513
- US-TE4012
- US-TE6014
- US-TE1014
- US-TE1614



INSULATED CORD END TERMINAL

- US-E0508
- US-E7508
- US-E1008
- US-E1508
- US-E1508
- US-E2508
- US-E4009
- US-E6012
- US-E1012
- US-E1612
- US-E2516
- US-E3516
- US-E5020



NON INSULATED CORD END TERMINAL

- EN-1008
- EN-1508
- EN-2508
- EN-4009
- EN-6012
- EN-1012
- EN-1612
- EN-2516



FUSE HOLDER 10X38

- FUSE HOLDER 10X38 WITH LIGHT 1P
- FUSE HOLDER 10X38 1P



CERAMIC FUSE 6X25

- 6X25 3A
- 6X25 5A
- 6X25 10A
- 6X25 13A
- 6X25 15A



CYLINDRICAL FUSE 10X38

iNFUSE® THE PERFECT CONNECTION

- 10X38 1A
- 10X38 2A
- 10X38 5A
- 10X38 4A
- 10X38 6 A
- 10X38 10A
- 10X38 16A
- 10X38 20A
- 10X38 25A
- 10X38 32A



CERAMIC FUSE KIT 10X38



GLASS FUSE

- 0.5A
- 1A
- 1.5A
- 2A
- 3A
- 4A
- 5A
- 6A
- 8A
- 10A
- 13A
- 15A
- 20A
- 25A
- 30A

5X20 6X30




GLASS FUSE KIT



NEUTRAL LINK WITH BASE

- 7 WAY
- 10 WAY
- 13 WAY



EARTH BAR

- 1/2 MTR (72 WAY)
- 1 MTR (144 WAY)



NEUTRAL LINK EXTENDER


- 1 WAY
- 2 WAY



COPPER BUSBAR - PIN TYPE

- 1P
- 2P
- 3P
- 4P


63A 100A



COPPER BUSBAR - U TYPE

- 1P
- 2P
- 3P
- 4P

63A 100A




BUSBAR END CAP

- 2P
- 3P
- 4P



DIN RAIL

- DIN RAIL 35 MM- 2MTR
- DIN RAIL 35 MM- 1MTR




BUS BAR INSULATOR

- SM- 25X6
- SM- 30X6
- SM- 30X8
- SM- 40X8
- SM- 40X10
- SM-51X8
- SM-51X10
- SM-60X10
- SM-76X10
- CM- 25X6
- CM- 30X6
- CM- 30X8
- CM- 40X8




DB BLANK PLATE

- 12 WAY



DB STICKER

- SECTION STICKER
- RYB STICKER
- ELCB & MAIN STICKER



DB LOCK

- MS-406
- MS-706
- MS-705



DB KEY

- K-406
- K-706
- K-705
- TS-1004



EARTH STRIP

- EARTH STRIP 6MM X 100 MM
- EARTH STRIP 6MM X 150 MM
- EARTH STRIP 6MM X 200 MM



SHRUT CHANNEL END CAP

- 41X41
- 41X21



BIMETALIC CABLE LUGS DTL-2

- DTL-2 16-10
- DTL-2 25-8
- DTL-2 25-10
- DTL-2 35-8
- DTL-2 35-10
- DTL-2 50-8
- DTL-2 50-12
- DTL-2 70-8
- DTL-2 70-12
- DTL-2 95-8
- DTL-2 95-12
- DTL-2 120-12
- DTL-2 150-12
- DTL-2 185-12
- DTL-2 240-12
- DTL-2 300-12
- DTL-2 630-16



BRASS MALE BUSH

- 20 MM SHORT
- 25 MM SHORT
- 32 MM SHORT
- 20 MM LONG
- 25 MM LONG
- 32 MM LONG



BRASS REDUCER

- 25-20
- 32-20
- 32-25
- 40-20
- 40-25
- 40-32
- 50-25
- 50-32
- 50-40
- 63-40



BRASS LOCKNUT NICKLE PLATED

- 20 MM
- 25 MM



COPPER BUSH

- M6X15MM
- M6X20MM
- M8X15MM
- M8X20MM



GI FLEXIBLE ADAPTOR

- 20 MM
- 25 MM
- 32 MM



RUBBER GROMMET

- 20 MM
- 25 MM
- 32 MM
- 38 MM
- 50 MM



RUBBER GROMMET (OPEN TYPE)

- 20MM (3/4")
- 25MM (1")



EDGE PROTECTOR -25 MTR ROLL

- 15 MM WITH STEEL
- 17 MM WITH STEEL
- 20 MM WITH STEEL
- 25 MM WITH STEEL
- 30 MM WITH STEEL
- 35 MM WITH STEEL



GI FLEXIBLE CONDUIT PVC COATED INDIA - US-PRO

- 20 MM
- 25 MM
- 32 MM
- 40 MM
- 50 MM



GI FLEXIBLE CONDUIT PVC COATED - INFUSE

- 20 MM
- 25 MM



GI FLEXIBLE CONDUI WITHOUT PVC COATED - US-PRO

- 20 MM
- 25 MM



CORRUGATED FLEXIBLE PIPE- PE

- AD -7 (4.5 X7 MM) 200 MTR
- AD -7 (4.5 X7 MM) 100 MTR
- AD -10 (7X10 MM) 100 MTR
- AD -13(10X13 MM) 100 MTR
- AD -15.8(12X15.8 MM) 100 MTR
- AD -18.5(14.3X18.5 MM) 100 MTR



CORRUGATED FLEXIBLE PIPE SPLIT TYPE- PE

- AD -7 (4.5 X7 MM) 200 MTR
- AD -7 (4.5 X7 MM) 100 MTR
- AD -10 (7X10 MM) 100 MTR
- AD -13(10X13 MM) 100 MTR
- AD -15.8(12X15.8 MM) 100 MTR
- AD -18.5(14.3X18.5 MM) 100 MTR



HIGH VOLTAGE SELF FUSING RUBBER TAPE

- 19 MM 5 YARD BLACK



TEFLON HIGH-TEMPERATURE TAP

- 0.13X19MM X 10M
- 0.13X25MM X 10M
- 0.13X40MM X 10M
- 0.13X50MM X 10M

FIREPROOF

WATER PROOF



HEAT SHRINKABLE SLEEVE

- 3 MM
- 4 MM
- 5 MM
- 6 MM
- 8 MM
- 10 MM
- 12 MM
- 16 MM
- 20 MM
- 25 MM
- 30 MM
- 35 MM
- 40 MM
- 50 MM

R Y B BK Y/G



EXPANDABLE SLEEVE

- 6 MM 100 MTR
- 8 MM 100 MTR
- 10 MM 100 MTR
- 12 MM 100 MTR
- 15 MM 100 MTR
- 20 MM 50 MTR
- 25 MM 50 MTR
- 30 MM 50 MTR
- 38 MM 50 MTR
- 50 MM 50 MTR



COTTON SLEEVE

- 4 MM 100 MTR
- 6 MM 100 MTR
- 8 MM 50 MTR
- 10 MM 50 MTR
- 12 MM 50 MTR
- 16 MM 25 MTR
- 20 MM 25 MTR
- 25 MM 25 MTR



PORTABLE BLOWER FAN AND DUCT

- 8" 200 MM
- 10" 250 MM
- 12" 300 MM
- 16" 400 MM
- 18" 450 MM
- 20" 500 MM
- 24" 600 MM

220V 110V



















NETWORKING ACCESSORIES

KEYSTONE JACK

- 180 DEGREE
- 90 DEGREE



FACE PLATE

- 1 PORT
- 2 PORT



DATA FACE PLATE

- 45X45 1PORT
- 45X45 2PORT




PATCH PANEL

- PATCH PANEL 12 PORT LOADED
- PATCH PANEL 24 PORT LOADED
- PATCH PANEL 24 PORT BLANK




RJ45 BOOT

- BOOT GREY
- BOOT BLUE



RJ45 COUPLER

- RJ45 UTP COUPLER 1-1
- RJ45 UTP COUPLER 1-2
- RJ45 FTP COUPLER 1-1
- RJ45 FTP COUPLER 1-2



BRUSH PANEL

- 1U 19"



PDU UNIVERSAL SOCKET

- 6WAY
- 8WAY
- 10WAY



UTP MODULAR PLUG

- CAT6 UTP RJ45 MODULAR 8P8C
- CAT7 STP RJ45 MODULAR 8P8C
- CAT3 RJ11 MODULAR PLUG
- CAT6 UTP RJ45 CONNECTOR PASS THROUGH TYPE



CAT6 UTP PATCH CORD

- 0.5 MTR
- 1 MTR
- 2 MTR
- 3 MTR
- 5 MTR
- 10 MTR
- 15 MTR
- 20 MTR
- 25 MTR
- 30 MTR
- 40 MTR
- 50 MTR



FIBER OPTICAL CABLE

- 2 CORE INDOOR -1000 MTR
- 2 CORE OUTDOOR -1000 MTR
- 4 CORE INDOOR - 1000 MTR



TELEPHONE CABLE

- 2 PAIR WHITE 100 YARD



TWIN FLAT CABLE

- 2C X 0.75 MM 100 YARD WHITE
- 2C X 0.75 MM 100 YARD BLACK
- 2C X 1.5 MM 100 YARD WHITE



SPEAKER CABLE

- 2C X 0.75 MM 100 YARD RED & BLACK
- 2C X 0.75 MM 50 YARD RED & BLACK
- 2C X 1.5 MM 50 YARD RED & BLACK
- 2C X 0.75 MM 50 YARD WHITE
- 2C X 0.75 MM 100 YARD TRANSPARENT
- 2C X 0.75 MM 50 YARD TRANSPARENT
- 2C X 0.75 MM 50 YARD CLEAR
- 2C X 1.5 MM 50 YARD TRANSPARENT



TINNED COPPER CABLE

- 1.3 MM - 50 MTR
- 1.8 MM - 50 MTR



RUNNING CAPACITOR - PIN TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



RUNNING CAPACITOR - WIRE TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



FAN CAPACITOR - PIN TYPE

- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 4.5 MFD
- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD



FAN CAPACITOR - WIRE TYPE

- 0.6 MFD
- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 4.5 MFD
- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD



AC CAPACITOR 4+4 PIN

- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



AC CAPACITOR 4+4+4

- 30+5 MFD
- 35+5 MFD
- 40+5 MFD
- 45+5 MFD
- 50+5 MFD
- 55+5 MFD
- 60+5 MFD
- 65+5 MFD



AC CAPACITOR SMALL 4+4

- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD



STARTING CAPACITOR WIRE TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF



STARTING CAPACITOR PIN TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF





INDUSTRIAL PLUG & SOCKETS

INDUSTRIAL PLUG

- 16A 3 PIN 220V - 132
- 16A 4 PIN 415V - 142
- 16A 5 PIN 415V - 152
- 32A 3 PIN 220V - 232
- 32A 4 PIN 415V - 242
- 32A 5 PIN 415V - 252
- 63A 5 PIN 415V - 352

IP 67



INDUSTRIAL SOCKET

- 16A 3 PIN 220V - 2132
- 16A 4 PIN 415V - 2142
- 16A 5 PIN 415V - 2152
- 32A 3 PIN 220V - 2232
- 32A 4 PIN 415V - 2242
- 32A 5 PIN 415V - 2252
- 63A 5 PIN 415V - 2352

IP 67



INDUSTRIAL WALL SOCKET - IP67

- 16A 3 PIN 220V - 1132
- 32A 3 PIN 220V - 1232
- 32A 5 PIN 415V - 1252

IP 67



INDUSTRIAL MULTI SOCKET - IP67

- 16 A 3 PIN 3WAY 220V - 10132

IP 67



INDUSTRIAL PLUG

iNFUSE® THE PERFECT CONNECTION

- 16A 3 PIN 110V - 013-4
- 16A 3 PIN 220V - 013
- 16A 4 PIN 415V - 014
- 16A 5 PIN 415V - 015
- 32A 3 PIN 220V - 023
- 32A 4 PIN 415V - 024
- 32A 5 PIN 415V - 025
- 63A 3P PIN 220V - 033
- 63A 4 PIN 415V - 034
- 63A 5 PIN 415V - 035
- 125A 4 PIN 415V - 442
- 125A 5 PIN 415V - 452



INDUSTRIAL SOCKET

iNFUSE® THE PERFECT CONNECTION

- 16A 3 PIN 110V - 213-4
- 16A 3 PIN 220V - 213
- 16A 4 PIN 415V - 214
- 16A 5 PIN 415V - 215
- 32A 3 PIN 220V - 223
- 32A 4 PIN 415V - 224
- 32A 5 PIN 415V - 225
- 63A 3 PIN 220V - 233
- 63A 4 PIN 415V - 234
- 63A 5 PIN 415V - 235
- 125A 4 PIN 415V - 2442
- 125A 5PIN 415V - 2452



INDUSTRIAL MULTI SOCKET

iNFUSE® THE PERFECT CONNECTION

- 16A 3 PIN 2 WAY - 1012
- 16A 3 PIN 3 WAY - 1013
- 32A 3 PIN 3 WAY - 1023
- 32A 4 PIN 3 WAY - 1024
- 32A 5 PIN 3 WAY - 1025



PANEL PLUG – STRIGHT

iNFUSE® THE PERFECT CONNECTION

- 16A 3PIN 220V - 613
- 32A 3 PIN 220V - 623
- 32A 5 PIN 415V - 625



PANEL SOCKET – STRIGHT

iNFUSE® THE PERFECT CONNECTION

- 16A 3PIN 220V - 313
- 32A 3 PIN 220V - 323
- 32A 5 PIN 415V - 325



INDUSTRIAL WALL SOCKET

iNFUSE® THE PERFECT CONNECTION

- 16A 3 PIN 220V - 113
- 16A 4 PIN 415 - 114
- 16A 5 PIN 415V - 115
- 32A 3 PIN 220V - 123
- 32A 4 PIN 415V - 124
- 32A 5 PIN 415V - 125
- 63A 3 PIN 220V - 133



SCHUKO PLUG & SOCKET

- 16A PLUG - 012
- 16A SOCKET - 212



WEATHERPROOF JUNCTION BOX

- 80X80X40
- 100X100X50
- 100X100X100
- 120X80X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 240X190X125
- 300X220X120
- 300X220X170
- 380X300X120
- 460X380X130

IP 65



WEATHERPROOF JUNCTION BOX WITH SLEEVE

- 80X40
- 80X80X40
- 100X100X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 300X220X120

IP 65



GAGT SERIES W/P TRANSPARENT JUNCTION BOX

- 100X100X75
- 125X125X100
- 180X80X70
- 170X140X100
- 175X125X75
- 175X175X100
- 200X150X100
- 200X200X130
- 200X200X100
- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280X130

IP67



IK08 SERIES W/P JUNCTION BOX

- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280X130

IP67



WEATHERPROOF JUNCTION BOX

- 400X300X180
- 500X400X200

IP67



PVC ADAPTABLE BOX

- 4X4X3
- 6X6X3
- 9X9X3
- 12X12X4



GI ADAPTABLE BOX

- 100X100X50
- 100X100X75
- 100X100X100
- 150X150X75
- 150X150X100
- 200X200X100
- 225X225X100
- 250X250X100
- 300X300X100



ALUMINIUM BOX

- 88X80X40
- 121X102X50
- 144X125X40
- 168X149X70
- 226X196X70
- 275X236X122
- 367X288X153

IP 66



MCB BOX (HAG BOX)

- 1 POLE
- 2 POLE
- 4 POLE



HT BOX

- HT-5
- HT-8
- HT-12
- HT-15
- HT-18
- HT-24

IP 65



TELEPHONE CABINET

- 400X400X120 WITH PANEL
- 600X400X120 WITH PANEL
- 600X600X150 WITH PANEL
- 600X600X300 WITH PANEL



NETWORK CABINET

- 4U-530X350X280
- 4U-600X450X280
- 6U-600X450X370
- 9U-600X450X500
- 12U-600X450X635



GI SWITCH BOXES

- 3X3X35
- 3X3X47
- 6X3X35
- 6X3X47



PVC BAX BOX

- 3X3 -45 MM DEPTH



METAL ENCLOSURE

- 200X200X150
- 250X200X150
- 300X200X150
- 300X250X150
- 300X250X200
- 300X300X150
- 300X300X200
- 400X300X150
- 400X300X200
- 400X400X200
- 500X400X200
- 500X400X250
- 600X400X200
- 600X500X200
- 600X500X250
- 700X500X200
- 700X500X250
- 800X600X200
- 800X600X250
- 800X800X200
- 800X800X250
- 1000X600X250
- 1000X800X250
- 1000X800X300
- 1200X800X250
- 1200X800X300

IP 65





TOOLS

CRIMPING TOOL

- US-30 J (1-6 MM²)





CRIMPING TOOL

- US-03 C (0.5-6 MM²)





CRIMPING TOOL

- US-06 WF (0.25-6.0MM2)





CRIMPING TOOL

- US-10 WF (0.5-10MM2)





CRIMPING TOOL

- US-16 WF (4-16MM²)





CRIMPING TOOL

- US-35WF (10-35MM2)





CRIMPING TOOL

- US-C8 6-4 (0.25-10MM2)



CRIMPING TOOL

- US-C8 6-6 (0.25-10MM2)



CRIMPING TOOL

- US-C8 16-4 (0.25-16MM2)



CRIMPING TOOL

- US-C8 16-6 (0.25-16MM2)



CRIMPING TOOL

- US-10 (1.5-6 MM²)



CRIMPING TOOL

- US-6 (1.25-6MM²)



CRIMPING TOOL

- US-16 (1.25-16MM²)





CRIMPING TOOL

- US-38 (5.5-38 MM2)





CRIMPING TOOL

- UX-26 B (6-25MM²)





CRIMPING TOOL

- UX-50B (6-50MM2)





CRIMPING TOOL

- UX-120B (10-120MM2)





WIRE STRIPER

- US-700D (0.08-4MM2)





WIRE STRIPER

- HS-D2 (0.5-6MM2)





WIRE STRIPER

- US-313C (0.5-6MM2)





WIRE STRIPER

- LG5 (25MM2)





WIRE STRIPER

- US-008



WIRE STRIPER

- US-600R





WIRE STRIPER

- 6' (LK-22)





WIRE STRIPER

- 8' (LK-38)



WIRE STRIPER

- CABLE KNIFE US-52



NETWORKING TOOLS

- CABLE TESTER BS-468



NETWORKING TOOLS

- 4-IN-1 REMOTE TESTER



NETWORKING TOOLS

- PUNCHING TOOLS- 914B



NETWORKING TOOLS

- PUNCHING TOOL -3141



NETWORKING TOOLS

- LT-500R (RJ-45, RJ-11)





NETWORKING TOOLS

- LT-2008R (RJ-45, RJ-11)





NETWORKING TOOLS

- US-315 (RJ-10, RJ-11, RJ-45)





NETWORKING TOOLS

- US-7018 (CAT-5, CAT-6, CAT-7)





NETWORKING TOOLS

- EZ-376 (RJ45 PASS THROUGH CRIMPER)







NETWORKING TOOLS

- US-318 M





HYDRAULIC CRIMPING TOOL

- YQ-70 (4-70 MM)





HYDRAULIC CRIMPING TOOL

- YQ-120 (10-120 MM)





HYDRAULIC CRIMPING TOOL

- YQ-300 (16-300 MM)





BATTERY OPERATED CRIMPING TOOLS

- EZ-300

DIA SIZES






BATTERY OPERATED CRIMPING TOOLS

- EZ-630

DIA SIZES





BATTERY OPERATED CABLE CUTTING TOOLS

- EZ-65C (300MM)







BATTERY OPERATED CABLE CUTTING TOOLS

- EZ-135C (630 MM)





BATTERY OPERATED CRIMPER AND CUTTER 2 IN 1

- EZ-300+EZ-65C







BATTERY OPERATED CRIMPER AND CUTTER 2 IN 1

- EZ-630 + EZ-135C







Quality
is our
priority

يوسبرو للتجارة ذ.م.م

USPRO
TRADING LLC

Head Office : Dubai, United Arab Emirates, Email: Info@uspro.ae
Branch : Abudhabi, United Arab Emirates